


JS250ATV-5

Nr.crt.	COD	DESCRIERE	Buc./subans.	Pret unitar final (USD cu TVA)
---------	-----	-----------	--------------	--------------------------------------


1、配气机构 Pneumatic mechanism



1、配气机构 Pneumatic mechanism


1	FG-110201-0	Pneumatic cam shaft	1	28.77
2	FG-100401-0	Timing sprocket	1	7.46
3	FG-100001-0	Driving pin	1	0.28
4	GB/T5786-2000	Bolt M10*1.25*25	1	0.20
5	FG100402-0	Washer	1	0.45
6	GB/T276-1994	Rolling bearing 6005-RS/C3	1	5.12
7	FG-130000-0	Timing chain	1	15.50
8	FG-140000-0	Lower guide plate assy	1	11.12
9	FG-150000-0	Upper guide plate assy	1	16.91
10	FG-120000-0	Chain tensioner	1	17.01
11	FG-100801-0	Shim of tensioner	1	0.11
12	Q/JR YP80-2000	Bolt 95026-06025	2	0.11
13	Q/JR YP80-2000	Bolt 95026-06014	2	0.06
14	GB/T276-1994	Rolling bearing 6202-Z	1	1.65
15	FG-110304-0	Air intake valve	1	9.41
16	FG-110303-0	Air exhaust valve	1	10.83
17	FG-110401-0	Valve spring seat	2	0.82
18	FG-110701-0	Valve inner spring	2	2.28
19	FG-110702-0	Valve outer spring	2	2.69
20	FG-112000-0	Valve stem oil seal	2	3.50
21	FG-110301-0	Valve spring cover	2	0.82
22	FG-110302-0	Valve lock clip	4	0.31
23	FG-110601-0	O-ring	1	0.24
24	FG-110002-0	Rocker arm shaft 2	1	3.18
25	FG-110001-0	Rocker arm shaft 1	1	3.18
26	FG-113000-0	Valve rocker arm	2	9.25
27	FG-110851-0	Adjusting screw	2	0.63
28	FG-110852-0	Locking nut	2	0.45

2、配气机构(气缸盖) Penumatic mechanism (cylinder cap)



2、配气机构（气缸盖） Penumatic mechanism (cylinder cap)


1	FG-111000-0	Cylinder cap unit	1	156.80
2	FG-111701-0	Steer wire circlip	2	0.04
3	FG-111751-0	Guide pipe of valve	2	0.73
4	Q/JR YP80-2000	Bolt 95026-06010	1	0.13
5	FG-100405-0	Washer	1	0.04
6	FG-100604-0	Damper	8	0.43
7	FG-101000-0	Cylinder cap shim unit	1	10.31
8	Q/JR YP96-2000	Alignment pin 99510-14016	2	0.56
9	FG-100002-0	Alignment pin	1	0.79
10	FG-1000603-0	Oil seal	1	0.60
11	ZA1-101000-0	Cap nut	4	0.70
12	ZA1-100404-0	Washer	4	0.05
13	GB/T70.1-2000	Screw M8*45	2	1.06
14	GB/T848-2000	Washer 8	2	0.04
15	FG-103000-0	Sproket chamber cover unit	1	13.02
16	FG-102000-0	Oil baffle unit	1	2.12
17	FG-100606-0	Air drain	1	3.22
18	FG-100701-0	Hoop O-ring	1	0.15
19	FG-100602-0	O-ring	1	1.79
20	Q/JR YP81-2000	Screw 98512-06012	2	0.13
21	FG-100605-0	O-ring	1	1.77
22	Q/JR YP81-2000	Screw 98512-06012	2	0.13
23	FG-100202-0	Upper valve cover	1	3.02
24	FG-100201-0	Lower valve cover	1	3.12
25	FG-100601-0	O-ring	2	0.74
26	GB/T70.1-2000	Screw M6*18	5	0.49
27	FG-110403-0	Pressure plate	1	0.40
28	GB/T5783-2000	Bolt M6*12	2	0.04
29	FG-110402-0	Stop plate	1	0.24
30	D7RTC	Spark plug	1	4.00



3、曲轴连杆总成 Crank connecting rod mechanism

1	FG-210000-0	Crank connecting rod assy	1	152.36	FG-220000-0
2	FG-220001-0	Piston ring 1	1	16	
	FG-222002-0	Piston ring 2	1		
	FG-221000-0	Piston ring assy	1		
3	GB/T819.1-2000	Screw M6*18	3	0.03	
4	FG-200401-0	Pressure plate	1	0.88	
5	GB/T276-1994	Bearing 6203	1	1.77	
6	FG-202000-0	Oil seal	1	1.83	
7	FG-201000-0	Cylinder unit	1	74.73	
8	GB/T70.1-2000	Screw M6*25	2	0.56	
9	GB/T1099-1979	Woodruff key 3*5*13	1	0.11	
10	FG-220201-0	Piston	1	18.25	
11	FG-200801-0	Cylinder shim	1	0.28	
12	Q/JR YP96-2000	Alignment pin 99510-14016	2	0.61	
13	FG-200601-0	O-ring	1	0.37	
14	FG-200001-0	Piston pin	1	5.97	
15	FG-200701-0	Criclip	2	0.33	
16	FG-200303-0	Blance shaft driving gear	1	28.68	
17	FG-200302-0	Balance shaft gear	1	23.04	
18	FG-200301-0	Balance shaft	1	23.12	
19	GB/T276-1994	Bearing 6304	2	3.88	
20	FG-200003-0	Flat key	1	0.15	
21	FG-200402-0	Locking washer	1	0.78	
22	FG-200851-0	Nut	1	2.17	
23	FG-200002-0	Woodruff key	1	0.29	
24	GB/T279-1994	Bearing 6306/C4	1	11.12	
25	GB/T894.1-1986	Circlip 26	1	0.09	


4、箱体部分 Crankcase body part



4、箱体部份 Crankcase body part

1	FG-300801-0	Left crancase cover gasket	1	1.39
2	Q/JR YP96-2000	Alignment pin 99530-12016	8	0.44
3	FG-300201-0	Left crankcase cover	1	36.88
4	Q/JR YP81-2000	Screw 98512-06080	1	0.29
5	Q/JR YP81-2000	Screw 98512-06030	1	0.13
6	Q/JR YP81-2000	Screw 98512-06025	5	0.13
7	Q/JR YP81-2000	Screw 98512-06050	1	0.24
8	Q/JR YP81-2000	Screw 98512-06060	1	0.25
9	FG-300802-0	Right connecting case gasket	1	2.89
10	Q/JR YP81-2000	Screw 98512-06040	7	0.17
11	FG-340000-0	Right crankcase cover	1	85.55
12	FG-300202-0	Right conncting case	1	43.22
13	FG-300803-0	Right crankcase cover gasket	1	2.89
14	Q/JR YP81-2000	Screw 98512-06070	5	0.25
15	FG-301000-0	Oil dipstick	1	1.58
16	ZA1-300601-0	O-ring	1	0.32
17	FG-320000-0	Right crankcase assy	1	103.93
18	F4-310000-0	Left crankcase assy	1	164.25
19	FG-300203-0	Rear driving cover	1	25.69
20	Q/JR YP81-2000	Screw 98512-06030	7	0.13
21	FA-300001-0	Alignment pin $\phi 10 \times 14$	2	0.14
22	GB/T70.1-2000	Screw M6*35	5	0.71
23	Q/JR YP96-2000	pin 99510-06060	2	0.70
24	Q/JR YP81-2000	Screw 98512-06060	1	0.25
25	Q/JR YP81-2000	Screw 98512-06085	1	0.29
26	GB70.1-2000	Screw M6*160	1	2.47
27	Q/JR YP81-2000	Screw 98512-06075	1	0.25
28	FG-302000-0	Sprue	1	1.51
29	GB/T893.1-1986	Circlip 28	1	0.11
30	FG-300851-0	Double-head screw	4	4.43

5、离合器 Clutch




5、离合器 Clutch

1	FG-411000-0	Main clutch case assy	1	99.97
2	FG-413000-0	Overreach clutch	1	28.65
3	FG-410001-0	Inner spline cover	1	4.75
4	FG-410401-0	Washer	1	0.87
5	FG-414000-0	Main clutch shoes assy	1	42.84
6	FG-414701-0	Tension spring	3	0.69
7	FG-400402-0	Washer	1	0.32
8	FG-400401-0	Locking washer	1	1.02
9	FG-400854-0	Nut	1	1.10
10	FG-421000-0	Clutch gear unit	1	55.55
11	FG-420403-0	Spline washer	1	2.94
12	FG-423000-0	Clutch gear unit	1	5.28
13	FG-422000-0	Friction plate	5	2.80
14	FG-420402-0	Clutch plate	4	2.04
15	FG-420201-0	Pressure disc	1	6.94
16	FG-420701-0	Clutch spring	4	0.94
17	FG-420401-0	Pressure cover	1	0.87
18	FG-424000-0	Screw with washer	4	0.19
19	GB/T 276-1994	Bearing 6000	1	1.24
20	FG-400301-0	Clutch post rod	1	1.79
21	FG-400403-0	Locking washer	1	0.85
22	FG-200851-0	Nut	1	2.17
23	FG-400001-0	Guide rod	1	1.74
24	FG-400404-0	Lower cam plate	1	6.04
25	FG-401000-0	Steel ball bracket unit	1	1.12
26	FG-402000-0	Upper cam plate unit	1	9.21
27	FG-403000-0	Operation rocker arm unit'	1	12.15
28	FG-400701-0	Compression spring	1	0.33
29	FG-400852-0	Connecting pin	1	0.62
30	FG-400002-0	Support seat	1	1.99
31	GB/T97.1-2000	Washer 8	1	0.04
32	GB/T91-2000	Cotter pin 1.2*14	1	0.04
33	FG-400853-0	Adjusting screw	1	0.77

34	FG-400601-0	O-ring	1	0.19
35	GB/T848-2000	Wdasher 8	1	0.04
36	FG-400851-0	Locking nut	4	0.33
37	FG-410000-0	Main clutch case assy	1	164.31
38	FG-420000-0	Primary clutch assy	1	110.92


6、传动、换档机构(换档操纵机构) Traunsmission and gear shift device (Gear shift operation device)



6、传动、换档机构（换档操纵机构）Transmission and gear shift device

1	ZA1-402000-0	Oil seal	1	1.80
2	FG-500003-0	Torsion spring pin	1	0.34
3	FG-530000-0	Shift axle assy	1	8.39
4	FG-550000-0	Shift lever assy	1	5.05
5	FG-550701-0	Tension spring	1	0.12
6	FG-500701-0	Shift torsion spring	1	0.84
7	FG-500402-0	Washer	2	0.29
8	FG-560000-0	Limit lever assy	1	2.61
9	FG-500702-0	Limit torsion spring	1	0.39
10	FG-570000-0	Shift pedal assy	1	6.52
11	JS150.00-165	Transmission pedal lever sleeve	1	0.24
12	GB/T5782-86	Screw M6*20	1	0.13


7、倒档手柄机构 Reverse lever device



7、倒档手柄机构 Reverse lever device

1	SSM4-360000-0	Transforming control mechanism for reverse lever device	1	38.83
2	SSM4-360602-0	Handle lever	1	6.77
3	GB/T6172-1986	Nut M12	1	0.10
4	SSM4-362000-0	Control rod unit	1	16.75
5	GB/T16674-1996	Bolt M6*35	1	0.10
6	GB/T6177-1986	Nut M6	1	0.10
7	SSC4-360701-0	Tension spring	1	0.43
8	GB/T3452.1-1992	O*ring 12*2.5	4	0.10
9	SSC4-360001-0	Bushing	1	1.43
10	SSM4-363000-0	Swaying arm unit	1	5.03
11	SSM4-364000-0	Attachment bracket unit	1	9.23
12	GB/T96-1985	Washer 6	2	0.08
13	GB/T16674-1996	Bolt M6*16	2	0.08
14	SSM0-000401-0	Upper locking board of reverse cable	1	3.69
16	SSM4-280000-0	Reverse cable assy	1	12.44
17	GB/I97.1-2002	Washer 8	1	0.00
18	GB/T896-1986	Retaining ring 6	1	0.00
19	FG-590604-0	Back protecting cover	1	5.09
20	F15-500401-2	Reverse tension rod	1	21.60
21	GB/T97.1-85	Washer 6	2	0.08
22	GB/T91-1986	Pin 1.6*4	1	0.10

8、传动、换档机构(输出机构) Transmission and gear shift device (Output device)




8、传动、换挡机构（输出机构）Transmission and gear shift device(output device)

1	GB/T819.1-2000		3	0.15
2	FG-500401-0	Pressure plate	1	1.47
3	GB/T276-94	Bearing 6304	1	3.97
4	FG-500408-0	Washer	1	0.40
	FG-500407-0		1	0.43
	FG-500406-0		1	0.46
	FG-500409-0		1	0.48
5	FG-500304-0	Final gear	1	58.04
6	FG-581000-0	Forward gear unit	1	94.20
7	FG-583301-0	Reverse gear	1	80.96
8	FG-500851-0	Nut	1	3.76
9	GB/T276-1994	Bearing 6006	1	3.32
10	FG-580407-0	Washer	1	0.29
	FG-580406-0		1	0.30
	FG-580405-0		1	0.31
	FG-580408-0		1	0.34
11	FG-580302-0	Connecting paw	1	10.96
12	FG-580404-0	Washer	1	0.29
	FG-580403-0		1	0.25
	FG-580402-0		1	0.09
	FG-580401-0		1	0.43
13	FG-584000-0	Bearing 60/28	1	13.90
14	FG-583851-0	Threaded sleeve	1	2.24
15	FG-583852-0	Special-shaped left hand threaded nut	1	1.83
16	FG-580301-0	Output shaft	1	23.19
17	FG-580404-0	Washer	1	0.26
	FG-580403-0		1	0.29
	FG-580409-0		1	0.17
	FG-580410-0		1	0.17
	FG-580411-0		1	0.17
18	FG-585000-0	Bearing	1	11.25
19	FG-580851-0	Internal hexagonal nut	1	3.90

20	FG-580303-0	Front connecting fork	1	16.10
21	FG-580401-0	Washer	1	0.43
22	FG-580852-0	Nut	1	1.59
23	FG-583201-0	Rear cover	4	11.22
24	FG-583601-0	O-ringt	1	0.55
25	GB/T16674-1996	Bolt M8*2	1	0.15
26	FG-500305-0	Reverse shift fork	1	8.73
27	FG-500703-0	Compression spring	1	0.27
28	GB/T308-2002	Steel ball 6.35G100B	1	0.41
29	FG-500006-0	Reverse shift fork shaft	1	2.45
30	F4-504000-0	Reverse control lever unit	1	5.86
31	FG-500007-0	Reverse control shaft	1	7.25
32	GB/T894.1-1986	Circlip 14	1	0.04
33	FG-500403-0	Operation plate	1	1.52
34	FG-590404-0	Lever plate	1	1.20
35	GB/T5789-1986	Bolt M6*16	1	0.09
36	FG-505000-0	Oil seal	1	1.69
37	FG-500601-0	O-ring	1	0.33
38	FG-580304-0	Rear joint	1	14.35
39	FG-580305-0	Driving fork	1	11.57
40	FG-586000-0	Rolling bearing	4	5.18
41	FG-580402-0	Clip	4	0.09
42	FG-583000-0	Reverse gear assy	1	144.70


9、传动、换档机构(变速齿轮机构) Transmission, shift device (Change speed gear device)



9、传动、换挡机构（变速齿轮机构）Transmission,shift device(Change speed gear device)

1	FG-511000-0	Spindle unit	1	27.66
2	FG-510304-0	Shift 5 driving gear	1	8.50
3	FG-510401-0	Spline pad	1	0.33
4	FG-510402-0	Circlip	1	0.27
5	FG-510302-0	Shift 3 driving gear	1	10.36
6	FG-510303-0	Shift 4 driving gear	1	7.27
7	FG-510301-0	Shift 2 driving gear	1	6.89
8	GB/T276-94	Bearing 6204	1	2.40
9	FG-501000-0	Oil seal	1	1.69
10	GB/T276-94	Bearing 6202	2	1.64
11	FG-521000-0	Drive axle unit	1	29.30
12	FG-520301-0	Shift 2 driven gear	1	9.40
13	FG-520303-0	Shift 4 driven gear	1	10.56
14	FG-520302-0	Shift 3 driven gear	1	9.48
15	FG-520304-0	Shift 5 driven gear	1	10.57
16	FG-520402-0	Inner spline washer	1	0.44
17	FG-520401-0	Circlip	1	0.29
18	FG-522000-0	Shift 1 driven gear unit	1	13.69
19	FG-520403-0	Inner spline washer	1	0.36
20	GB/T894.1-86	Circlip 26	1	0.15
21	FG-520404-0	Washer	1	0.14
22	FG-510000-0	Spindle unit assy	1	67.73
23	FG-520000-0	Drive axle unit assy	1	90.18


10、传动、换档机构(换档凸轮、拨叉机构)) Transmission, shift device (Shift cam, shift fork device)



10、传动、换挡机构（换挡凸轮、拨叉机构）Transmission,shift device(Shift cam,shift fork device)

1	F4-540000-0	Shift cam axle assy	1	21.37
2	FG-502000-0	Needle bearing	1	4.70
3	FG-500751-0 sau FG	Star-gear	1	10.68
4	FG-500004-0	Shift pin	4	0.25
5	FG-500005-0	Position pin of star-gear	1	0.25
6	GB/T819.1-2000	Screw M6*35	1	0.04
7	FG-500302-0	Shift fork 2	1	6.38
8	FG-500303-0	Shift fork 3	1	6.26
9	FG-500301-0	Shift fork 1	1	6.26
10	FG-500001-0	Long shift fork axle	1	1.92
11	FG-500002-0	Short shift fork axle	1	1.83


11、润滑系统 Lubrication system



11、润滑系统 Lubrication system

1	FG-610000-0	Engine oil pump	1	20.50
2	FG-611000-0	Oil pump gear unit	1	5.94
3	FG-610001-0	Transmission pin	1	0.12
4	FG-600801-0	Oil pump pad	1	0.11
5	GB/T819.1-2000	Scrtew M6*30	3	0.04
6	FG-620000-0	Engine oil coarse strainer	1	1.24
7	FG-600701-0	Compression spring	1	0.29
8	FG-600201-0	Oil drain plug screw	1	2.35
9	FG-600601-0	O-ring	1	0.37
10	FG-630000-0	Engine oil fine strainer	2	6.01
11	FG-600202-0	Engine oil fine strainer cover	1	5.36
12	FG-600602-0	O-ring	1	0.81
13	GB/T70.1-2000	Screw M6*20	2	0.49
14	GB/T70.1-2000	Screw M6*115	1	2.25


38.进排气系统 (进气系统) (II)Intake & exhaust system (Intake system)



12、进排气系统（进气系统）Intake system

1	FG-710503-0	Air filter body	1	8.53
2	FG-710401-0	Air filter cover lock	3	0.72
3	FG-710701-0	Steel clip	1	0.94
4	FG-710504-0	dust cup	1	3.79
5	F15-702000-0	Pipe clamp unit	1	1.39
6	F15-710601-0	Connecting pipe of carburetor	1	8.31
7	FG-710501-0	Intake pipe bend	1	0.85
8	F15-700603-0	Pipe 1	1	5.50
9	F15-720000-0	Carburetor assy	1	140.36
10	GB5782-86	Screw M6*16	2	0.11
11	F15-700601-0	O-ring	1	0.26
12	GB70-85	Screw M6*16	2	0.13
13	F15-701000-0	Carburetor seat unit	1	13.28
14	F15-700602-0	Negative pressure pipe	1	2.44
15	FG-704000-0	Cable clip unit	1	0.73
16	FG-710501-0	Intake pipe bend	1	0.86
17	FG-710601-0	Intake pipe	1	9.30
18	FG-712000-0	Intake pipe clamp unit	1	1.39
19	FG-710801-0	Thermal pad	1	0.93
20	FG-711000-0	Filter core unit	1	29.32
21	FG-710603-0	Seal ring	1	1.29
22	FG-710502-0	Air filter cover	1	2.85
23	F15-700701-0	Steel clip 1	2	0.87
24	F15-700703-0	Steel clip 3	2	0.87
25	F15-710000-0	Air filter assy	1	68.46


39.进排气系统 (排气系统) (II) Intake & exhaust system (Exhaust system)



13、进排气系统（排气系统）(Exhaust system)

1	FG-750000-0	Silencer assy	1	116.44
2	GB/T5787-86	Bolt M6*16	2	0.22
3	F15-760000-0	Add air valve	1	38.62
4	F15-702000-0	Steel clip 2	2	0.87
5	F15-700604-0	Pipe 2	1	0.68
6	F15-703000-0	Add air pipe unit	1	11.70
7	GB/T5787-86	Bolt M6*12	1	0.26
8	GB/T6187-86	Nut M6	1	0.19
9	GB/T70.1-2000	Screw M6*20	2	0.49
10	FG-741402-0	Connecting plate of exhaust pipe	1	2.32
11	FG-703000-0	Exhaust pipe washer	1	0.94
12	F15-740000-0	Exhaust pipe unit	1	16.39
13	GB/T5789-1986	Bolt M6*10	2	0.22
14	FG-742000-0	Thermal plate unit of exhaustr pipe	1	6.49
15	FG-750801-0	Seal ring of exhaust pipe	1	2.72
16	GB/T5783-2000	Bolt M8*20	2	0.12
17	GB/T97.1-2002	Washer 8	2	0.04
18	GB/T93-1987	Washer 8	2	0.04


14、起动系统(手起动) Starting system (Hand starting)



14、 起动系统(手起动) Starting system (Hand starting)

1	FG-870000-0	Hand starting device	1	57.21
2	FG-872000-0	Left side cover unit	1	16.32
3	FG-870801-0	Shim	1	0.06
4	FG-873000-0	Bottom board unit of winding spring	1	5.72
5	FG-871000-0	Drive plate unit	1	6.64
6	FG-870802-0	Tension line	1	0.15
7	FG-870702-0	Torsion spring	2	0.49
8	FG-870851-0	Drive paw	2	1.00
9	GB/T896-1986	Circlip 6	2	0.04
10	FG-870701-0	Compressing spring	1	0.19
11	FG-870401-0	Guide board	1	0.80
12	FG-870001-0	Screw pin	1	1.21
13	FG-870601-0	Starting lever	1	0.61
14	FG-870402-0	Screw lever cover	1	0.46
15	Q/JRYP81-2000	Screw 98512-06020	6	0.13
16	FG-807000-0	Boss one-way unit	1	16.43
17	FG-800601-0	O-ring	1	0.33
18	FG-800404-0	Washer	1	0.56
19	GB/T93-1987	washer	1	0.03
20	GB/T5785-2000	Bolt M10*1.25*40	1	0.54
21	FG-806000-0	Oil seal	1	7.18
22	FG-584000-0	Bearing 60/28	1	12.67
23	FG-800403-0	Pressing plate	1	0.74
24	Q/JRYP81-2000	Screw M5*16	3	0.25


15、起动系统(电起动) Starting system (Electric starter)



15、 起动系统(电起动) Starting system (Electric starter)

1	FG-800751-0	Duplux go gear	1	9.86
2	FG-800001-0	Gogear axle	1	1.43
3	FG-800401-0	Washer	2	0.14
4	GB/T8941.1-1988	Circlip 12	2	0.04
5	FG-860000-0	Gear unit of electric starter	1	36.98
6	FG-800402-0	washer	1	0.24
7	FG-830000-0	Clutch of electric starter	1	32.27
8	FG-830701-0	Compression spring	3	0.87
9	FG-830003-0	Spring cover	3	1.07
10	FG-830004-0	Pin roller	3	0.88
11	GB/T70.1-2000	Screw M8*16	3	0.85
12	FG-830002-0	Spring seat	3	0.82
13	FG-850000-0	Starting motor	1	93.89
14	FG-800405-0	Connecting board of starting motor	1	1.82
15	Q/JR YP2-2000	Screw 97602-06115	2	0.17
16	F15-840000-F2	Magneto	1	93.89
17	FG-841000-0	Rotor	1	51.75
18	F15-842000-F2	Stator	1	51.35
19	Q/JR YP2-2000	Screw 97062-06215	3	0.14


41、车架、后减震器 (II) Frame, rear shock absorber



16、车架、后减震器 Frame, rear shock absorber

1	SSM3-100000-0	Frame	1	307.54
2	SSA0-004000-0	Connection plate combination on engine	1	1.16
3	GB/T16674-1996	Bolt M8*16	2	0.21
4	GB/T16674-1996	Bolt M8*55	1	0.21
5	GB/T16674-1996	Bolt M8*65	1	0.29
6	GB/T16674-1996	Bolt M8*105	2	0.72
7	GB/T6187.1-2000	Nut M8	4	0.18
8	SSA0-008701-0	Bearing	2	1.58
9	GB3452.1-1992	O-ring 15*2.65G	2	0.12
10	JB/T7940.1-1992	Oil cup M6	1	0.21
11	SSA9-000000-0	Tool kit	1	7.22
12	SSM0-000402-0	Label	1	0.46
13	GB/T2618-1990	Core-drawing rivet 3.2*7	2	0.06
14	SSA3-530000-0	Rear shock absorber	1	49.66
15	GB/T16674-1996	Bolt M12*75	1	0.57
16	GB/T6187.1-2000	Nut M12	1	0.18
17	SSA0-000010-0	Rear shock absorber pin	1	0.77
18	GB/T97.1-2002	Washer 12	1	0.03
19	GB/T91-2000	Split pin 3.2*24	1	0.04
20	SSA0-011000-0	Rear shock absorbing rubber pad unit	2	0.56
21	SSA0-000512-0	Cable clip 4	1	0.17
22	SSA0-000510-0	Cable clip 2	1	0.20
23	SSA0-000506-0	Rear arm dust-proof cover	2	0.27
24	SSC3-100601-0	Squire plug of frame	4	0.77
25	SSA4-410000-2	Steering lock	1	14.67
26	GB819-86	Screw M5*12	2	1.58
27	SSA0-004000-2	Trailer joint pin unit	1	24.39


17、前悬挂系统 Front suspension system



17、前悬挂系统 Front suspension system

1	SSA3-211000-0	Front left wheel fork weld	1	20.33
2	SSA3-212000-0	Bushing unit	4	3.79
3	SSA3-221000-0	Front right wheel fork weld	1	20.33
4	GB/T16674-1996	Bolt M10*70	4	0.07
5	GB/T6187.1-2000	Nut M10	4	0.32
6	SSA3-510000-0	Front shock absorber	2	68.76
7	SSA0-000302-0	Front shock absorber nut	2	2.67
8	GB/T894.2-1986	Circlip 32	4	0.20
9	SSB4-313000-0	Front right seat unit	1	25.14
10	SSB4-314000-0	Front left seat unit	1	25.14
11	GB/T9458-1988	Nut M12*1.25	2	0.80
12	GB/T91-2000	Cotter pin 3.2*24	2	0.04
13	GB/T5782-2000	Bolt M12*50	4	0.49
14	GB/T6184-2000	Nut M12	4	1.00
15	SSA3-213000-0	Front wheel fork ball joint	2	32.40
16	SSA0-007000-0	Dust-proof bush of front fork ball joint	2	0.89


40.前轮及前制动系统(Ⅱ) Front wheel and front brake system



18、前轮系统 Front wheel system

1	SSA3-810601-0	Front tire (left)	2	76.88
2	SSA3-811000-0	Front rim (left)	2	67.61
3	GB/T91-2000	Cotter pin 3.2*26	2	0.04
4	GB6181-1986	Nut M14	2	0.46
5	GB/T3452.1-1992	O-ring 17*1.8G	2	0.29
6	SSA4-310002-0	Bushing pipe	2	1.76
7	SSA4-317000-0	Oil seal	2	0.63
8	GB/T 276-1994	Bearing 6203	2	7.82
9	SSA4-312000-0	Base seat assy of front brake	2	45.84
10	SSB4-311401-0	Brake disc	2	19.10
11	SSB4-310001-0	Installing screw of brake disc	8	1.39
12	SSA4-310702-0	Bushing pipe	2	1.96
13	GB/T 276-1994	Bearing 6005-RS	2	5.61
14	SSB4-314000-0	Left installing seat	1	35.91
15	SSB4-313000-0	Right installing seat	1	22.89
16	GB/T 16674-1996	Bolt M8X12	4	0.10
17	SSA0-000604-0	Dust-proof cover of wheels	4	1.22
18	SSA0-000301-0	Connecting nut of front and rear wheels	8	0.92
19	GB12836.1-1999	Air drain mouth without tube Z2-01-1	2	2.07
20	SSA4-311000-2	Front hydraulic brake	1	214.50
21	GB5787-86	Bolt M5*16	1	0.23
22	SSB0-001000-0	Liquid distribution valve installing plate	1	17.88
23	GB/T 70.1-2000	Bolt M6X25	2	0.12
24	GB5787-86	Bolt M6X16	2	0.22
25	GB5787-86	Bolt M6*12	1	0.19
26	SSB4-320000-0	Frication lining assy	4	6.25
27	SSA3-810000-0	Front wheel assy	2	168.75

19、转向立柱 Steering vertical pole




19、转向立柱 Steering vertical pole

1	SSA4-601000-2	Steering upright column weld	1	25.22
2	SSA4-601501-0	Dust-proof cover	1	2.72
3	SSA4-600202-0	Upper gripper block of steering bar	2	9.82
4	SSA4-600201-0	Lower grip slipper of steering bar	1	15.12
5	GB/T16674-1996	Bolt M8*50	4	0.65
6	SSA0-000507-0	Grip slipper of steering upright column	2	1.84
7	SSA0-000607-0	Sealing ring	2	0.46
8	SSA0-012000-0	Wire clip unit	1	1.30
9	GB5782-2000	Bolt M8*60	2	0.21
10	SSA0-000407-0	Locking shim	1	0.52
11	SSA0-000011-0	Bushing	2	0.44
12	GB97.1-2000	Washer 10	1	0.05
13	GB6178-1986	Nut M10	1	0.10
14	GB91-2000	Cotter pin 2.5*24	1	0.04
15	SSA4-602001-0	Tension rod	2	1.37
16	SSA4-604000-0	Steering tension rod ballpin assy 1	2	11.46
17	SSA4-605000-0	Steering tension rod ballpin assy 2 (left)	2	11.46
18	GB6176-2000	Nut M12*1.25	2	0.46
19	SSA4-602002-0	Nut M12*1.25(Left)	2	0.46
20	GB6181-1986	Nut M12*1.25	4	0.46
21	GB91-2000	Cotter pin 3.2*24	4	0.04

25.21


20、方向把操纵系统 Steering bar operatioin system



20、方向把操纵系统 Steering bar operation system

1	SSA4-520000-2	Right rear view mirror	1	16.79
2	SSA4-510000-2	Left rear view mirror	1	16.79
3	GB/T16674.1-2002	Bolt M6*20	2	0.12
4	SSM0-000505-0	Main switch cover	1	8.77
5	SSA4-250000-2	Start cable	1	9.86
6	SSK5-560000-0	Left handle bar switch	1	8.25
7	SSA0-000201-0	Adjusting nut	1	1.12
8	GB/T97.1-2002	Washer 6	1	0.04
9	CY80.00-10	Pin	1	0.06
10	SSA4-230701-0	Spring	1	0.14
11	SSA4-230000-0	Rear brake cable	1	37.50
12	SSL4-100401-P2	Steering bar tube	1	12.50
13	SSA4-100201-2	Installing seat of right rear view mirror	1	2.40
14	SSA4-210000-0	Thottle cable	1	2.59
15	SSA5-570000-0	Throttle lever unit	1	10.08
16	ZA4-100501-0	Left handle bar	1	1.05


21、操纵手柄 Operation handle bar



21、操纵手柄 Operation handle bar

1	JS150.00-03	Handle bar band	1	0.37
2	SSC4-532000-0	Rear brake switch	1	4.56
3	SSA4-102000-0	Left lever seat assy	1	12.47
	QB41012010	Bracket, RR brake lever	1	3.00
4	JS150.30-53	Nut	2	0.20
5	JS150.30-54	Ajusting screw of cable	1	0.29


22、后轮叉组合 Rear wheel fork unit



22、后轮叉组合 Rear wheel fork unit

1	SSA3-611000-0	Rear wheel fork unit	1	165.80
2	SSA3-612000-0	Rear wheel axle sleeve	1	77.29
3	Q/JR YP33-1985	Bolt M12*1.5*25	4	0.39
4	Q/JR YP33-1985	Nut M12*1.25	4	0.44
5	GB/T 297-1994	Bearing 30203	2	7.70
6	SSA3-614000-0	Oil seal	2	1.80
7	SSA3-610001-0	Collar	2	0.27
8	JB/T 6659-1993	O-ring 1.22*17	2	0.06
9	SSA0-000006-0	Rear arm connection bolt(left)	1	1.92
10	SSA0-000005-0	Rear arm connection nut(right)	1	1.68
11	SSA0-000007-0	Rear arm nut M22(Right)	1	0.58
12	SSA3-000506-0	Rear arm dust-proof cover	2	0.27
13	SSA3-610601-0	Rubber covering pipe	1	6.11
14	SSA0-006000-0	Driving axle clamp unit(rear)	1	0.51
15	SSA0-005000-0	Driving axle clamp unit(front)	1	0.54
16	SSA0-000404-0	Lower cover of gear box	1	6.05
17	SSA0-000605-0	Buffering pad of lower cover of gear box	3	0.34
18	GB/T16674-1996	Bolt M8*12	2	0.21
19	Q/JR YP33-1985	Bolt M10*1.25*25	4	0.46
20	SSA3-617000-0	Oil seal	1	1.80
21	GB/T276-1994	Bearing 6206-2RS	1	5.62


23、后驱动齿轮箱组件 Rear driving gear box unit



23、后驱动齿轮箱组件 Rear driving gear box unit

1	SSA3-930000-0	Rear driving gear box unit	1	344.55
2	SSA3-930201-0	Driving gear box body	1	56.17
3	SSA3-930001-0	Double-head screw	4	0.33
4	SSA3-936000-0	Needle bearing (small)	1	5.87
5	SSA3-933000-0	Oil seal	1	1.80
6	SSA3-935000-0	Needle bearing (big)	1	12.07
7	SSA3-937000-0	Tapered gear pair	1	160.96
8	GB/T 297-1994	Bearing 6305	1	7.70
9	SSA3-930002-0	Lining	1	1.44
10	SSA3-930004-0	Bearing race	1	6.72
11	SSA3-930601-0	O-ring	1	0.36
12	SSA3-932000-0	Bearing race oil seal	1	0.82
13	SSA3-930003-0	Screw plug	2	0.46
14	ZA1-600401-0	Gasket	2	0.16
15	SSA3-930202-0	Air-draining joint	1	1.37
16	SSA3-930203-0	Driving gear box cover	1	25.49
17	SSA3-934000-0	Driving gear box cover oil seal	1	1.55
18	GB/T276-1994	Bearing 16013	1	19.10
19	GB/T3452.1-1992	O-ring 155*2.65G	1	0.29
20	GB/T9074.1-2000	Bolt unit M8*25	6	0.27
21	Q/JR YP33-1985	Bolt M10*1.25*45	2	0.46
22	SSA3-930401-0	Thrust pad(0.15)	1	0.19
23	SSA3-930402-0	Thrust flat pad(1.6)	1	0.69
24	SSA3-930403-0	Ring-shape gear pad(0.4)	1	0.23
25	GB/T 276-1994	Bearing 6008-z	1	7.82
26	SSA3-931000-0	Oil seal	1	1.80
27	GB/T3452.1-1992	O-ring 85*3.55G	1	0.23
28	Q/JR YP4-2000	Nut M10*1.25	4	0.29
29	SSA0-000008-0	Driving axle	1	19.27
30	GB/T894.2-1986	Circlip 21	1	0.06
31	FG-580304-0	Rear joint	1	16.10
32	FG-580305-0	Needle bearing	2	16.12
33	FG-580402-0	Clip	2	0.09
34	SSA0-000802-0	Brake air-drain clamp	1	0.39
35	SSA0-000517-0	Gear box air-drain	1	1.82


24、后轮系统 Rear wheel system



24、后轮系统 Rear wheel system

1	SSA3-821000-0	Rear rim unit	1	74.51	la set
2	SSA3-820601-0	Rear tire	1	85.82	
3	GB12836.1-1999	Air drain mouth without tyre tube z2-01-1	2	2.07	
4	SSA0-017301-0	Rear wheel connecting plate	1	28.74	
5	SSA4-312002-0	Bolt	4	0.77	
6	SSA3-821000-0	Rear rim unit	1	74.51	
7	SSA3-820601-0	Rear tire	1	85.82	
8	SSA4-321000-0	Rear brake cover unit	1	25.52	
9	SSA4-314000-0	Dust-proof seal	1	24.84	
10	GB3452.1-1992	O-ring 14*2.65G	1	0.12	
11	SSA4-320001-0	Ram shaft of rear brake	1	4.97	
12	SSA4-313000-0	Brake shoe unit	1	11.32	
13	SSA4-310701-0	Tension spring	2	1.39	
14	SSA4-301404-0	Brake indicating plate	1	0.74	
15	CY80.23-13	Bolt	1	0.09	
16	GB/T6170-2000	Nut M6	1	0.04	
17	SSA4-322000-0	Rear brake arm unit	1	0.36	
18	SSA4-310402-0	Gasket	1	0.12	
19	GB/T5783-2000	Bolt M6*12	1	0.12	
20	SSA4-320701-0	Brake tension spring	1	0.36	
21	SSA0-000406-0	Rear brake bearing block	1	1.52	
22	GB/T5787-1996	Bolt M8*40	4	0.22	
23	SSA0-000009-0	Rear wheel axle	1	90.96	
24	SSA3-000405-0	Flat washer of rea brake cover	1	0.23	
25	GB/T3452.1-1992	O-ring 30*1.8G	1	0.06	
26	SSA0-009301-0	Rear brake hub	1	56.19	
27	JB/T 6659-1993	O-ring 11.8*1.22	4	0.15	
28	SSA4-312002-0	Bolt	4	0.77	
29	SSA0-000301-0	Connecting nut of front and rear wheels	8	0.92	
30	GB/T96.1-2002	Washer 16	2	0.42	
31	SSA0-000013-0	Rear wheel axle nut M16	2	2.67	
32	GB/T91-2000	Cotter pin 4*30	2	0.04	
33	SSA0-000604-0	Dust-proof cover of front and rear wheels	2	1.10	
34	SSA0-000516-0	Air flow pipe of rear brake	1	1.82	
35	SSA0-000802-0	Air flow pipe clip of brake	1	0.46	


25、脚踏操纵 Kick starting operation



25、脚踏操纵 Kick starting operation

1	SSM3-660000-0	Arehor of left footrest	1	37.53
2	GB/T16674-1996	Bolt M10*25	4	0.12
3	SSM0-000514-0	Board of left footrest	1	4.31
4	GB/T16674.1-2004	Bolt M8*20	4	0.12
5	SSM3-670000-0	Arehor of right footrest	1	37.52
6	SSM0-000515-0	Board of right footrest	1	4.31
7	SSM4-330000-0	Rear brake pedal	1	19.68
8	SSA0-000801-0	Rear brake tension spring	1	0.43
9	GB/T95-2002	Washer 14	1	0.11
10	GB/T91-2000	Cotter pin 4*30	1	0.04
11	SSA0-003000-2	Reed brake tension rod unit	1	3.99
12	SSA0-000004-0	Alignment pin	1	0.15
13	GB/T91-2000	Cotter pin 2*16	1	0.04
14	GB/T96.1-2002	Washer 6	2	0.12
15	JS125.00-26	Spring	1	0.16
16	CY80.00-10	Pin	1	0.06
17	SSA0-000201-0	Adjusting nut	1	1.12
18	GB/T16674.1-2004	Bolt M8*25	4	0.12


26、油箱、油开关 Fuel tank, Fuel cock



26、油箱、油开关 Fuel tank, Fuel cock

1	SSA3-311000-0	Fuel tank body	1	70.29
2	SSA3-312000-0	Fuel tank cover	1	5.35
3	SSA3-330000-0	Fuel lock	1	7.09
4	SSA3-310601-0	Washer 6	2	0.43
5	GB/T97.1-2002	Washer 6-140HV	2	0.04
6	GB/T818-2000	Screw M6*12	2	0.04
7	SSA0-000609-0	Rubber bush of fuel tank	2	0.39
8	SSA0-000003-0	Installing bushing of upper fuel tank lever	2	0.15
9	SSA0-000012-0	Washer	2	0.15
10	SSA0-000403-0	Flat washer 30	4	0.18
11	GB/T9074.15-1998	Bolt M6*40	2	0.17
12	SSA0-000608-0	Rubber bush of fuel tank	2	0.46
13	SSA0-000002-0	Installing bushing of fuel tank	2	0.11
14	GB/T9074.15-1998	Bolt M6*35	2	0.17
15	FG-700602-0	Fuel intake pipe	1	3.60
16	FG-700701-0	Steel wire clasp	2	0.87
17	HG6-408-79	Hose 5270-Φ5*1.5 Long(mm)	1	0.14
18	FG-700601-0	Supporting damper of airflow pipe	1	1.28
19	SSA3-310501-0	Damper	1	18.79
20	SSL0-000601-0	Fuel tank rubber damper	1	4.34
21	SSM0-000506-0	Upper cover of fuel tank	1	20.51
22	SSM0-000507-0	Left side cover	1	25.17
23	SSM0-000526-0	Electrical cover	1	8.77
24	SSM0-000523-0	Reverse lever cover	1	16.20
25	SSM0-006000-0	Reverse lever decorative cover assy	1	3.37
26	ZA0-000312-0	Self-tapping screw	1	0.09
27	SSM0-000508-0	Right side cover	1	29.09


27、前装饰板组合 Front decorative plate assy



27、前装饰板组合 Front decorative plate assy

1	SSM0-000502-0	Front fender	1	86.66
2	SSM0-000512-0	Headlight cover (left)	1	9.23
3	SSM0-000513-0	Headlight cover (right)	1	9.23
4	GB/T6184-2000	Nut M6	28	1.00
5	GB/T96.1-2002	Washer 6	28	0.12
6	GB/T947-1988	Screw M6*16	28	0.22
7	Q/JR YP1-92	Bolt CM6*16	2	0.19
8	SSM0-000509-0	Instrument cover	1	6.24
9	SSM0-000504-0	Front face cover	1	5.06
10	Q/JR YP1-92	Bolt CM6*20	2	0.16


28、后挡泥板、工具箱 Rear fender, tool kit



28、后挡泥板、工具箱 Rear fender, tool kit

1	SSM0-000501-0	Rear fender	1	128.53
2	SSM0-000510-0	Rear fender flap (left)	1	17.29
3	SSM0-000511-0	Rear fender flap (right)	1	17.24
4	SSM0-000516-0	Taillight cover (left)	1	12.92
5	SSM0-000517-0	Taillight cover (right)	1	13.04
6	SSA0-000511-0	Cable clip 3	2	0.19
7	CY80.02-14	Shock proof pad	3	0.13
8	SSA0-000601-0	Battery side pad	2	0.74
9	GB/T947-1998	Bolt M6*16	22	0.19
10	GB/T96.1-2002	Washer 6	22	0.12
11	GB/T6184-2000	Nut M6	22	1.00
12	SSA0-010000-0	Tool kit unit	1	18.09
13	SSA0-000610-0	Tool kit catch	2	0.61
14	SSA0-013000-0	Plastic expansion screw unit	2	0.57
15	GB/T16674-1996	Bolt M6*16	2	0.23
16	GB/T6187.1-2000	Nut M6	2	0.19
17	SSA0-000512-0	Cable clip 4	1	0.17
18	SSM0-010502-0	Tool kit cover	1	2.40
19	SSA0-010401-0	Pin	2	0.12


29、座垫 Cushion



29、座垫 Cushion

1	SSM3-410000-0	Seat	1	58.43
2	SSA3-410601-0	Damper	2	0.45



30、前后防护架 Front & rear guard bracke



30、前后防护架 Front & rear guard bracket

1	SSM0-730000-0	Fender guard	1	43.95
2	GB/T16674.1-2004	Bolt M8*20	4	0.29
3	GB/T16674.1-2004	Bolt M8*16	6	0.29
4	GB/T6184-2000	Nut M8	1	0.12
5	SSM3-710000-0	Front luggage carrier	1	134.27
6	SSM3-720000-0	Rear luggage carrier	1	139.49
7	SSM0-000518-0	Front guard frame cover(left)	1	8.82
8	SSM0-000519-0	Front guard frame cover(right)	1	8.82
9	SSM0-000520-0	Rear guard frame cover(left)	1	7.34
10	SSM0-000521-0	Rear guard frame cover(right)	1	7.17
11	GB/T16674.1-2004	Bolt M6*12	24	1.34
12	Q/JR YP1-92	BoltC M6*20	4	0.16
13	SSM0-000503-0	Decorative house of bumper	1	28.20
14	GB/T16674.1-2004	Bolt M8*12	8	1.34
15	SSM0-000522-0	Lower decorative house of bumper	1	3.69
16	SSA0-000501-0	Dust-proof cover of bumper	2	0.29
17	SSA0-003000-2	Rear reflector	2	4.03


33、前照灯、前转向灯 Headlight & turn signals



33、前照灯组件及转向灯组件 **Headlight unit & Turn signals**

1	SSM5-611000-0	Left headlight assy	1	67.56
	SSM5-612000-0	Right headlight assy	1	61.51
2		Headlight bulb 12V 35/35W	2	4.97
3	BGB15766.1-12VW5W	Sidelight bulb 12V 5W	14	1.34
4		Steel wire clip	2	0.82
5	SSM5-621000-0	Front left turn light	1	10.15
	SSM5-622000-0	Front right turn light	1	10.15
6		Turn light bulb 12V 10W	2	1.34

34、尾灯、牌照灯 Taillight & license light




- 78 -

34、尾灯组件 Taillight unit

1	SSM5-631000-0	Left taillight assy	1	18.45
	SSM5-632000-0	Right taillight assy	1	18.45
2	ZA5-632000-0	Taillight bulb 12V 21W/5W	4	2.69
3		Turn light bulb 12V 10W	2	1.34
4	SSM5-650000-0	License light assy	1	8.00
5		Bulb 12V 5W	1	1.34


35、标志粘贴 Marking sticker



35、标志粘贴 Marking sticker

1	SSMTH-000501-0	Label of front panel	1	1.23
2	SSMTH-000508-F2	Shift mark	1	0.12
3	SSMTH-000509-F2	Reverse mark	1	0.12
4	SSMTH-000504-0	Sticker 2 of left side cover	1	0.98
5	SSMTH-000502-0	Sticker 1 of left side cover	1	0.98
6	SSMTH-000507-F2	Warning mark 2	1	3.02
7	TCO-006021-1C	Factory brand sticker	1	0.15
8	SSMTH-000511-F2	Rear mark of front luggage carrier	1	0.08
9	SSMTH-000510-F2	Limit mark of front luggage carrier	1	0.09
10	SSMTH-000505-0	Sticker 2 of right side cover	1	0.98
11	SSMTH-000503-0	Sticker 1 of right side cover	1	0.98
12	SSMTH-000506-F2	Warning mark 1	1	3.02

36、电器系统 Electric system



36、电器系统 Electric system

1	FG-803000-F2	CDI unit	1	33.50
2	FG-805000-F2	Rectification regulator	1	48.98
3	GB/T16674-1996	Bolt M6*30	1	0.11
4	GB/T93-1987	Washer 6	1	0.06
5	FG-804000-F2	Start relay	1	24.88
6	SSC5-540000-0	Shut down relay	1	21.37
7	FG-802000-0	High pressure coil assy	1	17.72
8	Q/JR YP1-1985	Bolt unit M5*16	2	0.15
9	GB/T93-1987	Washer 5	2	0.04
10	FG-802003-0	Protecting cap	1	3.99
11	FG-509000-0	Reverse switch	1	10.82
12	FG-500405-0	Washer	1	0.24
13	F4-D70000-0	Gear sensor	1	39.41
14	GB6171-86	Nut M10*1	1	0.12
15	SSA5-310000-0	Battery assy	1	87.34
16	SSA0-000402-0	Pressure block of battery	2	0.76
17	GB/T16674-1996	Flange bolt M6*25	2	0.12
18	SSA0-000602-0	Butter pad of battery pressure block	2	0.36
19	SSA0-000511-0	Cable clip3	1	0.19
20	SSA5-312000-0	Battery positive lead	1	0.99
21	SSA5-311000-0	Earth wire assy	1	0.99
22	SSA5-530000-3	Rear brake switch	1	4.56
23	SSM5-510000-0	Main switch lock	1	9.78
24	SSM5-400000-0	Instrument	1	188.96
25	SSA5-710000-2	Horn assy	1	10.27
26	GB5787-89	Bolt M8*16	11	0.29
27	SSC5-770000-0	Emergency signal controller	1	54.86
28	SSM5-320000-0	Cable	1	47.35
29	SSM5-800000-0	Sensor unit	1	16.87
30	JS150.00-039	Cable band	6	0.49
31	JS150.00-03	Handle bar band	2	0.37
32	SSC5-360000-0	External power source socket	1	9.62